



## UC2K Coating

PRODUCT: UNICOATINGS  
 SDS PREPARATION DATE: 03 September 2015,  
 updated 09 May 2016

PRODUCT NUMBER: UC 2K Hardener  
 MEETS GHS AND ISO 11014-1

### 1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

1.1 PRODUCT/TRADE NAME: UNICOATINGS - UC 2K Hardener

#### 1.2 RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS ON USE:

Hardener for two-component lacquer systems

- Relevant identified uses of the substance or mixture and uses advised against: No further relevant information available.

#### 1.3 SUPPLIER DETAILS

UNICOATINGS  
 Beatrixhaven 19  
 4251 NK, The Netherlands  
 T +31(0) 183 69 10 10  
 www.ucinternationalmarine.com

#### 1.4 EMERGENCY TELEPHONE NUMBER

+31(0) 183 69 10 10

### 2. HAZARDS IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

- Physical hazards: Not classified for physical hazards.
- Health hazards: Acute toxicity, oral, skin corrosion/irritation and may cause sensitization by skin contact
- Environmental hazards: Harmful

#### GHS HAZARD STATEMENTS:

H302: Harmful if swallowed.  
 H314: Causes severe skin burns and eye damage.  
 H317: May cause an allergic skin reaction.

GHS label elements, including precautionary statements:

GHS05

GHS07



## UC2K Coating

**PRODUCT: UNICOATINGS**  
**SDS PREPARATION DATE: 03 September 2015,**  
**updated 09 May 2016**

**PRODUCT NUMBER: UC 2K Hardener**  
**MEETS GHS AND ISO 11014-1**

### PRECAUTIONARY STATEMENTS

- P280: Wear protective gloves/protective clothing/eye protection/face protection.
- P405: Store locked up.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER or doctor/physician.
- P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Name of the ingredient given on the warning label:

3-Aminopropyltriethoxysilane, isophorondiamine, trimethylhexane-1,6-diamine.

### OTHER HAZARDS:

This product does not contain substances which are classified as persistent, bio-accumulative and/or toxic (PBT) or very persistent and very bio-accumulative (vPvB)

### 3. COMPOSITION/INFORMATION ON INGREDIENTS AND SUBSTANCE CHEMICAL IDENTITY:

#### CHEMICAL COMPOSITION:

Mixtures of below listed substances and other unlisted ingredients. Unlisted ingredients are not "hazardous" per the GHS Classification.

#### 3.1 SUBSTANCES

This product is a mixture; Aminish silicon compounds with additives.

#### 3.2 HAZARDOUS INGREDIENTS:

3-Aminopropyltriethoxysilane EINECS: 213-048-4 -	CAS No 919-30-2	Content > 50 %
Benzyl alcohol EINECS: 202-859-9-	CAS No 100-51-6	Content 2.5 - < 5 %
Isophorondiamine EINECS: 220-666-8 -	CAS No 2855-13-2	Content 1 - < 2.5 %
Trimethylhexane-1,6-diamine EINECS: 247-134-8 -	CAS No 25620-58-0	Content 1 < 2,5 %

#### ADDITIONAL INFORMATION:

For wording of the listed risk phrases please refer to section 16.

## UC2K Coating

PRODUCT: UNICOATINGS  
 SDS PREPARATION DATE: 03 September 2015,  
 updated 09 May 2016

PRODUCT NUMBER: UC 2K Hardener  
 MEETS GHS AND ISO 11014-1

### 4. FIRST AID MEASURE

#### 4.1 DESCRIPTION OF FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

In case of inhalation of vapours: remove the person to fresh air, in case of indisposition obtain medical advice.

In case of skin contact

Take off contaminated clothing. Wash off affected skin with plenty of water using soap in case of indisposition obtain medical advice.

In case of eye contact

Spreading the eyelids, rinse thoroughly under running water, see an eye specialist immediately.

If swallowed

Make the person rinse out the mouth and drink plenty of water, call a physician.

#### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

No data available.

#### 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No data available.

### 5. FIREFIGHTING MEASURES

#### 5.1 EXTINGUISHING MEDIA

Suitable extinguishing media

Sprinkling water, solid extinguishing agent, CO<sub>2</sub>, foam resistant to alcohol.

Unsuitable extinguishing media

Direct water-jet.

#### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Thermal decomposition to carbon monoxide and nitrogen-organic cracked products.

#### 5.3 ADVICE FOR FIREFIGHTERS

Tightly closing fireproof clothing and oxygen apparatus.

### 5.4 FURTHER INFORMATION

No data available.

### 6. ACCIDENTAL RELEASE MEASURES

#### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

Wear protective equipment, like:

- gloves : rubber gloves
- respiration protection : none
- eyes protection : safety glasses
- shoes : normal
- clothing : normal
- control mechanic device : none

Keep unprotected persons away.

#### ENVIRONMENTAL PRECAUTIONS:

Rinse with water, and dispose to sewage according to Federal, National and local regulations.

#### METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

Should be absorbed by absorbents for disposal. Must conform to EU and National and Local regulations.

### 7. HANDLING AND STORAGE

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

Keep container cool and tightly closed, take care of sufficient ventilation.

#### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Keep away container from concentrated mineral acids and strong oxidising agents. Cool endangered containers with sprinkling water.

#### 7.3 SPECIFIC END USES

No data available.

## UC2K Coating

PRODUCT: UNICOATINGS  
SDS PREPARATION DATE: 03 September 2015,  
updated 09 May 2016

PRODUCT NUMBER: UC 2K Hardener  
MEETS GHS AND ISO 11014-1

### **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **8.1 CONTROL PARAMETERS**

Not applicable.

#### **8.2 EXPOSURE CONTROLS**

Appropriate engineering controls

Avoid contact with the skin and the eyes. When using do not eat, drink or smoke; preventive skin protection.

Personal

Protective equipment

Respiratory protection

In insufficiently ventilated areas use a breathing mask with filter type A or a self-contained breathing apparatus.

Eye protection

Use tightly closing protective goggles with lateral protection.

Skin protection

Use protective gloves according to EN 374-2 consisting of butyl rubber, layer thickness 0.5 mm, breakthrough time

> 480 min. or fluorocarbon rubber, layer thickness 0.4 mm, breakthrough time > 480 min.

Body Protection

Use protective clothing consisting of rubber or plastics.

## UC2K Coating

PRODUCT: UNICOATINGS  
 SDS PREPARATION DATE: 03 September 2015,  
 updated 09 May 2016

PRODUCT NUMBER: UC 2K Hardener  
 MEETS GHS AND ISO 11014-1

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Aggregate state	liquid	Colour	yellowish	Odour	amine-like
Melting point/freezing point				Not available.	
Initial boiling point/boiling range				96°C	
pH		(T = 20 °C)		Not available.	
Flammability				Low flammability.	
Ignition temperature				Not available.	
Auto flammability				Not applicable.	
Oxidising properties				Not applicable.	
Explosive properties				For vapour/air mixtures.	
Explosion limits		Lower		Not available.	
		Upper		Not available.	
Density		(T = 20 °C)		0.955g/ml	
Water solubility		(T = 20 °C)		Practically insoluble.	
Vapour pressure		(T = 20 °C)		Not available.	
Vapour density		(air = 1)		Not available.	
Partition coefficient (n-octanol/water)				Not available.	
Viscosity		(T = 20 °C)		Not available.	
Separation of solvent				Not applicable.	
Content of solvents (VOC EU)				30g/l	
Evaporation rate				Not available.	
Other information:				No data available	

### 10 STABILITY AND REACTIVITY

#### 10.1 REACTIVITY

No data available.

#### 10.2 CHEMICAL STABILITY

This product is stable.

#### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

Strong oxidising agents and concentrated mineral acids.

#### 10.4 CONDITIONS TO AVOID

No data available.

#### 10.5 INCOMPATIBLE MATERIALS

No data available.

#### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

In case of fire only, see section 5.2.

### 11 TOXICOLOGICAL INFORMATION

#### MIXTURES

Acute toxicity: No data available.

Irritation: The product is irritating to skin and causes serious eye damage.

Corrosivity: The product causes burns.

Sensitization: This product causes sensitization by skin contact.

Repeated dose toxicity: No data available.

Carcinogenicity: No data available.

Mutagenicity: No data available.

Toxicity for reproduction: No data available.

Signs and symptoms of exposure: See section 4.2.

Additional information

No data available.

### 12. ECOLOGICAL INFORMATION

#### 12.1 TOXICITY

No data available.

#### 12.2 PERSISTENCE AND DEGRADABILITY

No data available.

#### 12.3 BIOACCUMULATIVE POTENTIAL

No data available.

#### 12.4 MOBILITY IN SOIL

No data available.

#### 12.5 RESULTS OF PBT AND VPVB ASSESSMENT

According to the available statements the criteria are not fulfilled for the classification as a PBT or vPvB.

#### 12.6 OTHER ADVERSE EFFECTS

Spilling product harms waters by high consumption of oxygen and general pollution impact.

## UC2K Coating

PRODUCT: UNICOATINGS  
 SDS PREPARATION DATE: 03 September 2015,  
 updated 09 May 2016

PRODUCT NUMBER: UC 2K Hardener  
 MEETS GHS AND ISO 11014-1

### 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS:

Dispose used or expended material to local sewage systems according to Federal, National and Local regulations and instructions. If recycling is not possible, wastes must be eliminated according to the provisions of the EU, National and local authorities.

After rinsing with plenty of water, empty containers may be recycled.

- Waste code according to 2000/532/EC (product):
- Waste code according to 2000/532/EC (package):

### 14. TRANSPORT INFORMATION

#### ADR:

- |                                 |                                   |
|---------------------------------|-----------------------------------|
| • 14.1. UN number 3             | 066                               |
| • 14.2. UN proper shipping name | ADR/RID - Paint related material. |
| • 14.3. Transport hazard        | 8 class(es)                       |
| • Subsidiary class(es)          | -                                 |
| • 14.4. Packing group           | III                               |
| • 14.5. Environmental hazards   | No                                |
| • Tunnel restriction code       | (E)                               |
| • 14.6. Special precautions for | Not available.                    |

#### RID:

- |                                 |  |
|---------------------------------|--|
| • 14.1. UN number               | 3066                                     |
| • 14.2. UN proper shipping name | ADR/RID - Paint related material.        |
| • 14.3. Transport hazard        | 8 class(es)                              |
| • Subsidiary class(es)          | -  |
| • 14.4. Packing group           | II (substances presenting medium danger) |
| • 14.5. Environmental hazards   | No                                       |
| • 14.6. Special precautions for | Not available.                           |

#### AND:

- |                                 |  |
|---------------------------------|--|
| • 14.1. UN number               | 3066                                     |
| • 14.2. UN proper shipping name | ADR/RID - Paint related material.        |
| • 14.3. Transport hazard        | 8 class(es)                              |
| • Subsidiary class(es)          | -  |
| • 14.4. Packing group           | II (substances presenting medium danger) |
| • 14.5. Environmental hazards   | No                                       |
| • 14.6. Special precautions for | Not available.                           |

#### IATA:

- |                                 |  |
|---------------------------------|--|
| • 14.1. UN number               | 3066                                     |
| • 14.2. UN proper shipping name | ADR/RID - Paint related material.        |
| • 14.3. Transport hazard        | 8 class(es)                              |
| • Subsidiary class(es)          | -  |
| • 14.4. Packing group           | II (substances presenting medium danger) |
| • 14.5. Environmental hazards   | No                                       |
| • ERG Code                      | Not available.                           |
| • 14.6. Special precautions for | Not available.                           |

#### IMDG:

- |                                 |  |
|---------------------------------|--|
| • 14.1. UN number               | 3066   |
| • 14.2. UN proper shipping name | ADR/RID - Paint related material.  |
| • 14.3. Transport hazard        | 8 class(es)  |
| • Subsidiary class(es)          | -  |
| • 14.4. Packing group           | II (substances presenting medium danger)   |
| • Environmental hazards         | No   |
| • Marine pollutant              | No   |
| • EmS No.                       | F-A, S-B   |
| • 14.6. Special precautions for | Not available.   |
| • 14.7. Transport in bulk       | Not intended to be transported in bulk according to Annex II MARPOL 73/78 and the IBC Code |

#### ADN; ADR; IATA; IMDG; RID





## UC2K Coating

PRODUCT: UNICOATINGS  
 SDS PREPARATION DATE: 03 September 2015,  
 updated 09 May 2016

PRODUCT NUMBER: UC 2K Hardener  
 MEETS GHS AND ISO 11014-1

### 15. REGULATORY INFORMATION

#### SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE PRODUCT IN QUESTION:

- GHS system for labelling and SDS
- Current regulation in US and Canada:
  - » In USA: OSHA (29 CFR 1910.1200)
  - » Canada: WHMIS
- EU regulations
  - » Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances; Not regulated.
  - » Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work; Phosphoric acid mixture (CAS 7664-38-2)
  - » Directive 94/33/EC on the protection of young people at work; Phosphoric acid mixture (CAS 7664-38-2)

**CHEMICAL SAFETY ASSESSMENT:**  
 Not available

### 16. OTHER INFORMATION

#### LIST OF ABBREVIATIONS:

- CAS: Chemical Abstract Service Registration Number
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- LD50: Lethal Dose, 50%
- LC50: Lethal Concentration, 50%
- EC50: Effect Concentration, 50%
- NOEL: No Observed Effect Level
- COD: Chemical Oxygen Demand
- BOD: Biochemical Oxygen Demand
- TOC: Total Organic Carbon
- CEN: European Committee for Standardisation
- EC-No: European Commission Number
- CLP: Regulation on classification, labelling and packaging of substances and mixtures
- DSD: Dangerous Substances Directive
- ADR: E uropean Agreement concerning the International Carriage of Dangerous Goods by Road

- ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland
- LGK: Storage class
- BG Chemie: Employer's liability insurance association of the German chemical industry
- IATA: International Air Transport Association
- IMDG: International Maritime Dangerous Goods Code
- RID: International Rule for Transport of Dangerous Substances by Railway
- GHS: Global Harmonised System
- HCS: harmonized classification scheme

#### THE TEXT OF THE HAZARD STATEMENT CODES OF SECTION 3

- H302: Harmful if swallowed.
- H314: Causes severe skin burns and eye damage.
- H317: May cause an allergic skin reaction.
- H319: Serious eye damage/eye irritation; Causes serious eye irritation.
- H332: Acute toxicity, inhalation; Harmful if inhaled.
- H412: Hazardous to the aquatic environment – Chronic Hazard; Harmful to aquatic life with long lasting effects.
- R20/22: Harmful by inhalation and if swallowed.
- R21/22: Harmful in contact with skin and if swallowed.
- R22: Harmful if swallowed.
- R34: Causes burns.
- R43: May cause sensitisation by skin contact. R52 Harmful to aquatic organisms.
- R53: May cause long-term adverse effects in the aquatic environment.

This safety data sheet is developed on basis of the valid EU regulations and German regulations. It shows the present state of the knowledge and is no contractual warranty of quality properties of the product. These statements may not be changed or transferred to other products. Duplication in unchanged state is permitted.